

Quetschkabelschuhe Ringform
Unisoliert
DIN 46234

E-Cu verzinkt

GS Vertrieb
 Heinrich-Hertz-Str. 28
 40699 Erkrath-Untersfeldhaus
 Tel.: 0211-21032078
 Fax: 0211-21032080
info@gsv-vertrieb.com
www.gsv-vertrieb.com



Querschnitt in mm ²	GSV Art.-Nr.-QUR	Nenngröße Bohrung	VE / Stck.
0,5 - 1,0	QUR1,5-M2,5	1,5 / M2,5	100
	QUR1,5-M3	1,5 / M3	100
	QUR1,5-M3,5	1,5 / M3,5	100
	QUR1,5-M4	1,5 / M4	100
	QUR1,5-M5	1,5 / M5	100
	QUR1,5-M6	1,5 / M6	100
	QUR1,5-M8	1,5 / M8	100
	QUR1,5-M10	1,5 / M10	100
1,5 - 2,5	QUR2,5/M3	2,5 / M3	100
	QUR2,5-M3,5	2,5 / M3,5	100
	QUR2,5/M4	2,5 / M4	100
	QUR2,5/M5	2,5 / M5	100
	QUR2,5/M6	2,5 / M6	100
	QUR2,5/M8	2,5 / M8	100
	QUR2,5/M10	2,5 / M10	100
	QUR2,5/M12	2,5 / M12	100
4 - 6	QUR6-M4	6 / M4	50
	QUR6-M5	6 / M5	50
	QUR6-M6	6 / M6	50
	QUR6-M8	6 / M8	50
	QUR6-M10	6 / M10	50
	QUR6-M12	6 / M12	50



Quetschkabelschuhe Ringform
Unisoliert
DIN 46234

E-Cu verzinkt

GS Vertrieb
 Heinrich-Hertz-Str. 28
 40699 Erkrath-Untersfeldhaus
 Tel.: 0211-21032078
 Fax: 0211-21032080
info@gsv-vertrieb.com
www.gsv-vertrieb.com



Querschnitt in mm ²	GSV Art.-Nr.-QUR	Nenngröße Bohrung	VE / Stck.
6 - 10	QUR10-M4	10 / M4	50
	QUR10-M5	10 / M5	50
	QUR10-M6	10 / M6	50
	QUR10-M8	10 / M8	50
	QUR10-M10	10 / M10	50
	QUR10-M12	10 / M12	50
10 - 16	QUR16-M4	16 / M4	50
	QUR16-M5	16 / M5	50
	QUR16-M6	16 / M6	50
	QUR16-M8	16 / M8	50
	QUR16-M10	16 / M10	50
	QUR16-M12	16 / M12	50
16 - 25	QUR25-M5	25 / M5	50
	QUR25-M6	25 / M6	50
	QUR25-M8	25 / M8	50
	QUR25-M10	25 / M10	50
	QUR25-M12	25 / M12	50
	QUR25-M14	25 / M14	50
	QUR25-M16	25 / M16	50



Quetschkabelschuhe Ringform
Unisoliert
DIN 46234

E-Cu verzinkt

GS Vertrieb
 Heinrich-Hertz-Str. 28
 40699 Erkrath-Untersfeldhaus
 Tel.: 0211-21032078
 Fax: 0211-21032080
info@gsv-vertrieb.com
www.gsv-vertrieb.com



Querschnitt in mm ²	GSV Art.-Nr.-QUR	Nenngröße Bohrung	VE / Stck.
25 - 35	QUR35-M6	35 / M6	50
	QUR35-M8	35 / M8	50
	QUR35-M10	35 / M10	50
	QUR35-M12	35 / M12	50
	QUR35-M14	35 / M14	50
	QUR35-M16	35 / M16	50
35 - 50	QUR50-M6	50 / M6	50
	QUR50-M8	50 / M8	50
	QUR50-M10	50 / M10	50
	QUR50-M12	50 / M12	50
	QUR50-M16	50 / M16	50
50 - 70	QUR70-M6	70 / M6	50
	QUR70-M8	70 / M8	25
	QUR70-M10	70 / M10	25
	QUR70-M12	70 / M12	25
	QUR70-M16	70 / M16	25
70 - 95	QUR95-M8	95 / M8	25
	QUR95-M10	95 / M10	25
	QUR95-M12	95 / M12	25
	QUR95-M16	95 / M16	25
95 - 120	QUR120-M8	120 / M8	25
	QUR120-M10	120 / M10	25
	QUR120-M12	120 / M12	25
	QUR120-M16	120 / M16	25



Quetschkabelschuhe Ringform
Unisoliert
DIN 46234

E-Cu verzinkt

GS Vertrieb
 Heinrich-Hertz-Str. 28
 40699 Erkrath-Unterfeldhaus
 Tel.: 0211-21032078
 Fax: 0211-21032080
info@gsv-vertrieb.com
www.gsv-vertrieb.com



Querschnitt in mm ²	GSV Art.-Nr.-QUR	Nenngröße Bohrung	VE / Stck.
120 - 150	QUR150-M10	150 / M10	10
	QUR150-M12	150 / M12	10
	QUR150-M16	150 / M16	10
150 - 185	QUR185-M10	185 / M10	10
	QUR185-M12	185 / M12	10
	QUR185-M14	185 / M14	10
	QUR185-M16	185 / M16	10
185 - 240	QUR240-M10	240 / M10	10
	QUR240-M12	240 / M12	10
	QUR240-M14	240 / M14	10
	QUR240-M16	240 / M16	10

